

NOW  
AVAILABLE  
IN NEW  
COLORS!

## Parafilm® Dispenser

Unique design for maximum safety

Store, dispense, and cut Parafilm®, tape, labels, and Tough-Tags®.

ABS plastic dispenser has designer good looks, and the safety razor slides and cuts with no danger to your fingers. Dispenser holds one or two 2-inch rolls, or one 4-inch roll.

Part Number	Description	Dimensions, mm	Color
HS234525B	ABS Dispenser	171 x 120 x 144	Blue
HS234525C	ABS Dispenser	171 x 120 x 144	Green
HS234525D	ABS Dispenser	171 x 120 x 144	Red
HS234525R	Replacement blades for ABS dispenser, pack of 5,		

Parafilm is a registered trademark of American Can Company. Tough-Tags is a registered trademark of Diversified Biotech.



## Parafilm® Dispenser

Heavy-duty construction for maximum durability

Store, dispense, and cut Parafilm®, tape, labels, and Tough-Tags®.

Strong, crystal-clear acrylic dispenser makes your film supply apparent and features a super-sharp serrated blade. Dispenser holds one or two 2-inch rolls, or one 4-inch roll.

Part Number	Description	Dimensions, mm
HS234524	Acrylic Dispenser	119 x 168 x 175



## Glove Box Holders

Keep gloves organized and ready for immediate use

Free up benchtop space by mounting holders on wall for easy dispensing of gloves. Clear acrylic holders include a polyester foam insert to securely hold a range of glove box sizes—snug fit ensures easy removal of gloves. Sturdy, epoxy-coated steel wire racks are an economical solution. All holders fit most major brands. Screws included.

Part Number	Description	Material	W x H x D, mm
HS23471A	1-Box Hldr	Acrylic	141 x 260 x 110
HS23471B	2-Box Hldr	Acrylic	295 x 260 x 110
HS23471C	3-Box Hldr	Acrylic	295 x 385 x 110
HS23457	1-Box Hldr	Wire	140 x 208 x 108
HS23458	3-Box Hldr	Wire	250 x 454 x 108

## Digital Differential Counter

Count, total, and calculate percentages with minimal effort

Ideal for blood cell counts, but good for general counting as well. Displays 10 two-digit counts and four-digit total. Calculates percents with a single stroke. Short beep confirms each keystroke; long beep indicates count is full. Labeled for blood cell counting (BASO, EOSIN, MYELO, JUVEN, STAB, SEG, LYMPH, MONO, and two blank spaces) with extra space for custom labeling. Available in North America only (110V, 50/60 Hz, grounded plug).



Part Number	Description
HS6360	Digital Differential Counter



## Economy Counters

Mechanical, benchtop counters are perfect for blood cells (label included) or other repetitive counting. Each key records up to 999. Total window keeps track of total number of strokes made on all other keys; bell rings when total reaches 100. Six-key counter measures 250 x 76 x 56 mm; nine-key counter measures 320 x 76 x 56 mm.

Part Number	Description
HS5360A	6-Key Economy Counter
HS5360B	9-Key Economy Counter



## Hand Tally Counter

Use for counting blood cells, bacterial colonies, drops of liquid, or any repetitive event. Tallies up to 9999. Features a quick-reset knob, lens for easy reading, and finger ring for a secure grip. Sturdy, chrome-finished metal construction. Measures 46 mm dia x 41 mm W.

Part Number	Description
HS6594	Hand Tally Counter



## Electric Bag Sealers

Seal polyethylene or polypropylene bags, sheets, or flat tubing up to 5 mil thick. Timing knob ensures safe sealing. Simply turn knob to set time, press handle down on plastic, and remove when light indicates cycle is complete. Heating element is hot only when sealing. Includes 6-ft cord for 115 VAC. 203 mm sealer measures 370 x 82 x 180 mm; 305 mm sealer measures 440 x 85 x 180 mm.

Part Number	Description
HS28264	203 mm Wide Bag Sealer
HS28265	305 mm Wide Bag Sealer
HS28264A	Replacement Heating Element, 203 mm
HS28264B	Replacement Heating Element, 305 mm
HS28264C	Replacement Rubber Gasket, 203 mm
HS28264D	Replacement Rubber Gasket, 305 mm
HS28264E	Replacement Teflon Cloth, 203 mm
HS28264F	Replacement Teflon Cloth, 305 mm

## Lab ALERT™

### Stopwatches and Timers



#### A. Clip-On Stopwatch

Attach metal clip onto belt loop. Measure single-event and split times. Features alarm chime and clock/calendar display.

#### B. Stopwatch with Compass

Measure single-event and split times. Features alarm chime, clock/calendar display, and 81 cm neck cord.

#### C. Multi-Function Stopwatch

Features time, split, hourly chime, calendar, alarm and 100 cm neck cord.

#### D. Heathrow Scientific® Rota-Timer™

Our newest and coolest timer! Spin the outer ring to dial in the clock and alarm settings. Magnetic back sticks to metal surfaces; use flip-open stand on benchtop. Neat!

#### F. Pocket Timer/Stopwatch

Four independent timing channels with visual and audible alarms. Use as a stopwatch, a countdown timer, or a clock. Includes spring clip and magnetic back.

#### G. Dual Rotary Timer

Channels may be started independently or simultaneously. Timer automatically counts up after counting down. Countdown alarm shuts off after one minute. Includes spring clip and magnetic back.

#### H. Big-Digit Dual Timer/Clock

Display clock and timer simultaneously, or two independent timers. Use one timer to count up, or use two to count down independently. Audible and visual alarm.

#### I. Triple Timer

Three channels count down with simultaneous display, time-out, and 60-second audible alarm. Channels may be started independently or simultaneously. Timer automatically counts up after counting down. Memory recall.

Key	Part Number	No. of Channels	Timing Capacity	Resolution	Count Direction	Display Digits, H	Clock	Alarm	Battery	L x W x D, mm
A	HS24640	One	29 Min.	1/100 Sec.	Up	5.5 mm	Yes	Yes	One AG13 1.5V	95 x 60 x 22
B	HS24641	One	29 Min.	1/100 Sec.	Up	5.5 mm	Yes	Yes	One AG13 1.5V	76 x 57 x 19
C	HS24645	One	60 Min.	1/100 Sec.	Up	8.5 mm	Yes	Yes	One LR44 1.5V	87 x 78 x 21
D	HS24710	One	99 Min.	1/100 Sec.	Up/down	10 mm	Yes	Yes	One AAA	76 dia x 39 D
F	HS24490D	Four	100 Hr.	1/100 Sec.	Up/down	6 mm	Yes	Yes	One LR44 1.5V	61 x 71 x 25
G	HS24480	Two	99 Min.	1/100 Sec.	Up/down	15 mm	Yes	Yes	Two LR44 1.5V	76 x 65 x 19
H	HS24780	Two	24 Hr.	1/100 Sec.	Up/down	25.5 mm	Yes	Yes	One AAA	142 x 97 x 20
I	HS24490M	Three	20 Hr.	1/100 Sec.	Up/down	10.5 mm	Yes	Yes	One AAA	86 x 66 x 22



#### Time Tracker™

Makes it easy to monitor your process from a distance! Designed like a traffic signal so the meaning of each light is intuitive. Green light means less than half done, yellow means more than half done, and red means finished. Program the time and select from six different audible alerts. Two-line LCD with 8 mm high characters, 10 characters across. Operates on 110 VAC adapter (included). Measures 112 x 118 x 230 mm.

Part Number	Description
HS24651	Time Tracker

